



OFFICE of the WAYNE COUNTY MEDICAL EXAMINER

1300 East Warren Avenue  
Detroit, MI 48207

POST MORTEM REPORT

M.E. CASE NUMBER  
16-1112  
COUNTY OF DEATH  
WAYNE  
TOWN OF DEATH  
DEARBORN  
DATE PRONOUNCED DEAD  
Jan 27, 2016

THIS IS TO CERTIFY THAT

Lokman Sung, M.D., Assistant Medical Examiner

PERFORMED A POSTMORTEM EXAMINATION ON THE BODY

JANET DELORIS WILSON

AT

Wayne County Medical Examiner's Office

ON

Jan 28, 2016

SUMMARY & OPINION

It is my opinion that death was caused by multiple (5) gunshot wounds.

There were five gunshot wounds on the body: chest (3) and right arm (2). There was no evidence of close ranged firing noted on the skin surrounding any of the wounds. Cotton-like material protruded from the exit wounds of GSW 2, 4, and 5. The gunshot wounds are arbitrarily numbered for ease of description and do not reflect the sequence of firing. Unless otherwise stated, the wound tracks are described in the standard anatomical position.

PENETRATING GUNSHOT WOUND TO THE CHEST (GSW#1):

There was an entrance gunshot wound on the superolateral right breast. The wound track proceeded through the soft tissue of the breast, the anterior right 5th rib, heart, the lower lobe of the left lung, the lateral left seventh intercostal space and into the soft tissue of the lateral left chest wall. The wound track was from front to back, right to left, and slightly downward. A deformed jacketed bullet was recovered from the soft tissue of the lateral left chest wall and retained.

PERFORATING GUNSHOT WOUND TO THE CHEST (GSW#2):

There was a through-and-through, entrance gunshot wound on the right breast at the 1 o'clock edge of the areola. The wound track proceeded through the soft tissue of the right breast and ended at an exit wound on the inferomedial right breast. The wound track was from front to back, right to left, and downward.

PENETRATING GUNSHOT WOUND TO THE CHEST (GSW#3):

There was an entrance gunshot wound on the lateral right chest, with surrounding bruising. The wound track proceeded through the soft tissue of the right back and into the soft tissue of the left back. The wound track was from front to back, right to left, and slightly downward. A deformed jacketed bullet was recovered from the soft tissue of the left back and retained.

PERFORATING GUNSHOT WOUND TO THE RIGHT ARM (GSW#4):

There was a through-and-through, entrance gunshot wound on the posterior right upper arm. The wound track proceeded through the soft tissue of the right upper arm and ended at an exit wound on the anterior right upper arm. The wound track was from back to front and slightly right to left.

PERFORATING GUNSHOT WOUND TO THE RIGHT ARM (GSW#5):

There was a through-and-through, atypical entrance gunshot wound on the anterior right lower arm, located 18-1/2 inches from the top of the right shoulder. The wound track proceeded through the soft tissue of the right lower arm and ended at an exit wound on the anteromedial right lower arm. There was cotton material protruding from the entrance wound. The wound track was from slightly front to back, right to left and slightly downward. Additionally, an abrasion was on the right lower chest.

The manner of death is homicide.


GSW = Gunshot Wound

O = Entrance

X = Exit

Autopsy No: 16-1112

Name: Janet Wilson





OFFICE of the WAYNE COUNTY MEDICAL EXAMINER

1300 East Warren Avenue  
Detroit, MI 48207

POST MORTEM REPORT

M.E. CASE NUMBER  
16-1112  
COUNTY OF DEATH  
WAYNE  
TOWN OF DEATH  
DEARBORN  
DATE PRONOUNCED DEAD  
Jan 27, 2016

I CERTIFY THAT Man Sung, M.D., Assistant Medical Examiner	PERFORMED A POSTMORTEM EXAMINATION ON THE BODY JANET                      DELORIS                      WILSON
Wayne County Medical Examiner's Office	ON Jan 28, 2016

SUMMARY & OPINION

It is my opinion that death was caused by multiple (5) gunshot wounds.

There were five gunshot wounds on the body: chest (3) and right arm (2). There was no evidence of close ranged firing noted on the skin surrounding any of the wounds. Cotton-like material protruded from the exit wounds of GSW 2, 4, and 5. The gunshot wounds are arbitrarily numbered for ease of description and do not reflect the sequence of firing. Unless otherwise stated, the wound tracks are described in the standard anatomical position.

PENETRATING GUNSHOT WOUND TO THE CHEST (GSW#1):

There was an entrance gunshot wound on the superolateral right breast. The wound track proceeded through the soft tissue of the breast, the anterior right 5th rib, heart, the lower lobe of the left lung, the lateral left seventh intercostal space and into the soft tissue of the lateral left chest wall. The wound track was from front to back, right to left, and slightly downward. A deformed jacketed bullet was recovered from the soft tissue of the lateral left chest wall and retained.

PERFORATING GUNSHOT WOUND TO THE CHEST (GSW#2):

There was a through-and-through, entrance gunshot wound on the right breast at the 1 o'clock edge of the areola. The wound track proceeded through the soft tissue of the right breast and ended at an exit wound on the inferomedial right breast. The wound track was from front to back, right to left, and downward.

PENETRATING GUNSHOT WOUND TO THE CHEST (GSW#3):

There was an entrance gunshot wound on the lateral right chest, with surrounding bruising. The wound track proceeded through the soft tissue of the right back and into the soft tissue of the left back. The wound track was from front to back, right to left, and slightly downward. A deformed jacketed bullet was recovered from the soft tissue of the left back and retained.

PERFORATING GUNSHOT WOUND TO THE RIGHT ARM (GSW#4):

There was a through-and-through, entrance gunshot wound on the posterior right upper arm. The wound track proceeded through the soft tissue of the right upper arm and ended at an exit wound on the anterior right upper arm. The wound track was from back to front and slightly right to left.

PERFORATING GUNSHOT WOUND TO THE RIGHT ARM (GSW#5):

There was a through-and-through, atypical entrance gunshot wound on the anterior right lower arm, located 18-1/2 inches from the top of the right shoulder. The wound track proceeded through the soft tissue of the right lower arm and ended at an exit wound on the anteromedial right lower arm. There was cotton material protruding from the entrance wound. The wound track was from slightly front to back, right to left and slightly downward. Additionally, an abrasion was on the right lower chest.

The manner of death is homicide.

GSW = Gunshot Wound  
O = Entrance  
X = Exit

Autopsy No: 16-1112  
Name: Janet Wilson

